

One Match[®] Gelled Fire Starter

Item 48, 49, 49Q

- Effective for starting fires without flare up
- Use with pellets, wood, and coal
- Environmentally safe
- Burns odorless and smokeless



Description:

Rutland One Match Gelled Fire Starter is formulated to effectively start fires in pellet stoves. It also works well for starting all types of wood and coal and without flaring up.

Performance Characteristics:

- Does not flavor food
- Will not affect catalytic converters
- Clean burning
- Stays where you put it
- Safe to use indoors or out

Recommended Uses:

Perfect for barbeque grills, chimineas, fireplaces, wood, coal and pellet stoves.

Surface Prep:

Be sure that no heat or flames are present.

Application:

Pellet Stoves: Be sure no heat or flames are present. Open flip-top cap and squeeze approximately one (1) tablespoon of One Match gel into burn pot. Add a small handful of pellets on top of gel. Add another 1/2 tablespoon of gel on top of pellets. Close the container and place away from stove. Just touch a match to the gel to light. Wait until pellets are burning well then turn on the pellet feed.

Other Fuels: Squeeze a liberal amount of One Match gel onto wood or fuel to be ignited. Close container and place safely away from fuel. Place

additional wood or fuel over gel leaving adequate air space around gel for best results. Gel must be under wood to be effective. Just touch gel with lighted match to ignite.

Typical Physical Properties:

Active ingredient	Alcohol
Weight/Gallon	6.7 lbs/gal
Consistency	Gel
Color	Light Blue
Storage/Handling	Store away from heat, sparks and flame.

Limitations:

If air is set too high in pellet stove, the fire will blow out.

Warranty and Limited Remedy:

This product will be free from defects in material and manufacture for a period of eighteen (18) months from date of manufacture. Rutland Fire Clay Company makes no other warranties including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose. User is responsible for determining whether the Rutland Fire Clay Company product is fit for a particular purpose and suitable for user's application. If this Rutland Fire Clay Company product is defective within the warranty period stated above, your exclusive remedy and Rutland Fire Clay Company's sole obligation shall be, at Rutland Fire Clay Company's option, to replace the Rutland Fire Clay Company product or refund the purchase price of the Rutland Fire Clay Company product.

Limitation of Liability:

Except where prohibited by law, Rutland Fire Clay Company will not be liable for any loss or damage arising from this Rutland Fire Clay Company product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

CAUTIONS:

Flammable! Contains alcohol. Do not apply when hot coals or flames are present, a flash fire could result. If ingested, contact doctor or poison control center immediately. If spilled on skin, wash off with soap and water. In case of eye contact, flush eye thoroughly with water. If irritation persists, seek medical attention.

**KEEP OUT OF REACH OF CHILDREN
FLAMMABLE**

